

Deutscher Verein des Gas- und Wasserfaches e.V.

www.dvgw-regelwerk.de

Technical Information - Guideline DVGW G 473 (M) January 2018

Methods for detection, valuation, treatment and avoidance of dents on high pressure pipelines

Verfahren zum Auffinden, Bewerten, Behandeln und Vermeiden von Beulen an Gashochdruckleitungen

GAS

The DVGW is the technical and scientific association of gas and water engineers and comprises approximately 14,000 members. For more than 150 years, the DVGW has been setting the technical standards for the safe, secure and reliable supply of gas and water, actively initiating the exchange of ideas and information in the gas and water sectors and encouraging and promoting on-going progress in the sectors through practical guidance.

The DVGW is an independent non-profit organisation free from economic lobbyism and political influence.

The DVGW Set of Rules is a key instrument for the DVGW to meet its statutable purpose and accomplish its tasks. The DVGW Set of Rules notably defines, on the basis of statutory regulations, the requirements on technical safety, hygiene, environmental protection, fitness for use and consumer protection and organisation for the supply and use of gas and water. The DVGW Set of Rules ensures that the DVGW complies with the statutory principle of self-responsibility of the utilities, for the benefit of technical safety and hygiene as well as environmental and consumer protection.

Note for users

The DVGW Set of Rules rests on the following principles:

- The DVGW Set of Rules has been elaborated in an honorary capacity in accordance with the applicable principles (DVGW Constitution, Rules of Procedure GW 100). On the basis of jurisdiction, both the content and the technical information can be assumed to be correct.
- Everybody can use the DVGW Set of Rules. Duties and obligations may arise from legal or administrative regulations or from a contract or from other legal grounds.
- Nobody can abdicate their responsibility for correct action when applying the DVGW Set of Rules. Anyone applying the DVGW Set of Rules shall ensure its correct application in each concrete case.
- While the DVGW Set of Rules is not the only source of knowledge when looking for professional solutions, it does constitute an important source of such knowledge. It cannot however cover all possible special cases that may require more comprehensive or restrictive measures.

Warning

This English-language version is an informal translation from the German original. However, only the original German language version has been exclusively authorised by the DVGW and its Technical Bodies. The DVGW reserves the right to revise this version at any time due to possible translation errors.

Anybody is free to use the DVGW system of rules. Users are responsible for the proper use of the DVGW system of rules in each individual case.

ISSN 0176-3512

Price group: 2

© DVGW, Bonn, January 2018

DVGW German Technical and Scientific Association for Gas and Water

Josef-Wirmer-Straße 1–3 D-53123 Bonn Phone: +49 228 9188-5

Fax: +49 228 9188-990 Email: info@dvgw.de Internet: www.dvgw.de

Reprinting and photomechanical reproduction, also of excerpts, is only permitted with the approval of the DVGW e.V., Bonn.

Distribution: Wirtschafts- und Verlagsgesellschaft Gas und Wasser mbH, Josef-Wirmer-Str. 3, D-53123 Bonn Phone: +49 228 9191-40 · Fax: +49 228 9191-499 Email: info@wvgw.de · Internet: shop.wvgw.de Art.No.: 511675



Methods for Detection, Assessment, Treatment and Avoidance of Dents on High Pressure Pipelines

Contents

Prefac	e	4
1	Scope of Application	5
2	Normative References	5
3	Terms	5
3.1	Dents	5
3.2	Ovalities	6
3.3	Gouges	6
4	Procedures and Technical Methods for the Detection of Dents	6
4.1	Visual Methods	6
4.2	Measurement Methods	6
4.2.1	Caliper Pig	6
4.2.2	Geometry Pig	6
5	Assessment of Dents	7
5.1	General	7
5.2	Simplified Method	7
5.3	Method Using Characteristic Parameter of Dents	7
6	Dent Repair	8
6.1	Notes on Dent Repair	8
6.2	Dent Repair Methods	8
6.2.1	Extension of the Dented Pipeline Segment	8
6.2.2	Welding of Metallic Split Sleeves	8
6.2.3	Non-metallic Repair Systems	8
6.2.4	Temporary Repair Procedures	9
7	Causes and Avoidance of Dents	9
7.1	Causes of Dents	9
7.2	Avoidance of Dents	9
Furthe	r Reading1	0
Annex	A (informative) – Definition of Characteristic Parameter of Dents B_k for Dent Type A and	

Preface

This guideline has been developed by a project group within the Technical Committee "Gas Transmission Pipelines" and shall serve as the basis for procedures for the detection, assessment, treatment and avoidance of dents on high pressure gas pipelines.

Section 7 of DVGW Code of Practice G 463 demands that pipelines larger than DN 600 shall be tested for the presence of dents prior to commissioning.

In addition, relevant information and insights provided by the Technical Committee "Gas Transmission Pipelines" have been compiled into this guideline.

This guideline supersedes DVGW Guideline G 473:1995-07.

Revisions

With respect to DVGW Guideline G 473:1995-07, the following changes have been made:

- a) The guideline has been editorially revised
- b) Normative references have been updated
- c) Annexes have been shortened and revised

Earlier Versions

DVGW G 473:1995-07